

If you have questions regarding your medications or preparation, call 850-747-0825 between the hours of 7am and 3pm. Afte hours, call 850-763-5409 and ask to speak to your doctor's nurse. To schedule or reschedule procedures call 850-392-1507

## PREPARATION INSTRUCTIONS FOR COLONOSCOPY with MIRALAX

NAME:	CHA	RT#: D	R;
DATE:		MATED ARRIVAL TIME:	K.
FACILITY:	LOCATION:	FAÇILITY:	LOCATION:
NWFL GASTRO CENTER	204-B EAST 19TH STREET	SACRED HEART - PORT ST. JOE	<del></del>
BAY MEDICAL CENTER	OUTPATIENT CHAPMAN BLDG	DESTIN SURGERY CENTER	ADMISSIONS
GULF COAST MEDICAL CENTER	OUTPATIENT SURGERY CENTER	NWFL SURGERY CENTER	HWY. 98 DESTIN
JACKSON HOSPITAL	MAIN (FRONT) ENTRANCE	THE DOUGLAST CENTER	767 AIRPORT ROAD
amily member or friend to dr ou will not be allowed to dr	given medication that makes y ive you home following your rive yourself home or take a	ou relax and be sleepy. Please procedure. Anticipate 3 to 4 h taxi.	make arrangements for a ours stay at facility.
o these things 5 DAYS BEI	FORE the procedure:		d four (4) Dulcolax tablets
o these things 3 DAYS BEF	ORE the procedure:		West - 17

- Stop taking Vitamin E, ginko, ginger, Fish Oil and/or garlic
  - or related NSAIDS (for example: Bufferin, Ecotrin, Aleve, Naprosyn, Motrin, Ibuprofen, Sulindac.) IRON: iron and iron-containing vitamins and medications.

FIBER SUPPLEMENTS: such as Metamucil, Fibercon, Citrucel, etc.

- F IF DIABETIC, see attached sheet.
- TYLENOL or Acetaminophen is okay.

## The DAY BEFORE the procedure: \*DO NOT EAT ANY SOLID FOODS\*

IF you are schedul∋d at Northwest FL Gastro Center, expect a call confirming your appointment and FINAL arrival time Start a clear, LIQUID diet. A liquid diet can include: Juices (apple, white grape and cranberry); Broths (beef and/or chicken); Soda Pop; Tea and coffee without milk; Gatorade; Kool-Aid and various Jell-O flavors (any color except red or purple). Avoid: Juices with pulp, milk, cream and/or solid food. \*DO NOT EAT ANY SOLID FOODS\*

3:00 p.m. - Take four (4) Dulcolax tablets. Continue liquid diet.

5:00 p.m. - Mix the Miralax and Gatorade. Shake until powder is dissolved. Drink one 80z glass every ten minutes until you have completed all of the solution. Continue drinking liquids.

You may drink clear liquids until midnight.

To help prevent dehydration, it is important to drink plenty of liquids before, during and after the colon-prep process.

## The DAY OF the procedure: \*DO NOT EAT\*

TAKE blood pressure, heart, seizure, breathing, anti-reflux, thyroid, and/or mental health medications as prescribed, one hour prior to arrival, with no more than 20z of water.

Bring with you to your procedure: Picture I.D., Insurance Card(s), a list of your current medications, and a contact number for your ride.